TODA et al. - Appln. No. 10/784/2

### IN THE CLAIMS

This listing of claims replaces all prior versions, and listings, in this application.

SEP 11 2008

### 1. (original) A drug, containing:

a metabolic product prepared by incubating a photosynthetic bacterium together with a lactic acid bacterium so as to cause the photosynthetic bacterium to produce a viscous material,

the photosynthetic bacterium being Rhodopseudomonas capsulatas FERMBP-7434 strain.

2. (original) The drug as set forth in Claim 1, wherein:

the metabolic product contains bacteriocholorophyll in a range of from 0.2 to 3.0 (% by weight).

3. (original) The drug as set forth in Claim 1, wherein:

the metabolic product contains bacteriocholorophyll in a range of from 0.6 to 1.9 (% by weight).

4. (original) The drug as set forth in Claim 1, wherein:

the metabolic product contains a carotinoid material in a range of 0.5 to 7.5 (µmol/g).

5. (original) The drug as set forth in Claim 1, wherein:

the metabolic product contains a carotinoid material in a range of 2.4 to 4.0 (µmol/g).

6. (original) The drug as set forth in Claim 1, wherein:

after subjected to acid hydrolysis, the metabolic product has glucose contents (weight %) ranging from 2.4 to 7.5, ribose contents (weight %) ranging from 0.3 to 1.1,

rhamnose contents (weight %) ranging from 1.0 to 3.3, fucose contents (weight %) ranging from 0.6 to 2.6.

### 7. (original) The drug as set forth in Claim 1, wherein:

after subjected to acid hydrolysis, the metabolic product has glucose contents (weight %) ranging from 3.5 to 6.5, ribose contents (weight %) ranging from 0.4 to 1.0, rhamnose contents (weight %) ranging from 1.2 to 3.0, fucose contents (weight %) ranging from 0.8 to 2.4.

### 8. (original) The drug as set forth in Claim 1, wherein:

after subjected to water-washing and subsequently to acid hydrolysis, the metabolic product has glucose contents (weight %) ranging from 0.8 to 3.3, ribose contents (weight %) ranging from 0.2 to 1.0, rhamnose contents (weight %) ranging from 0.4 to 2.0, fucose contents (weight %) of 0.6 or less.

### 9. (original) The drug as set forth in Claim 1, wherein:

after subjected to water-washing and subsequently to acid hydrolysis, the metabolic product has glucose contents (weight %) ranging from 1.0 to 3.0, ribose contents (weight %) ranging from 0.3 to 0.9, rharnnose contents (weight %) ranging from 0.5 to 1.6, fucose contents (weight %) of 0.5 or less.

# 10. (original) The drug as set forth in Claim 6, wherein:

after subjected to water-washing and subsequently to acid hydrolysis, the metabolic product has glucose contents (weight %) ranging from 0.8 to 3.3, ribose contents (weight %) ranging from 0.2 to 1.0, rhamnose contents (weight %) ranging from 0.4 to 2.0, fucose contents (weight %) of 0.6 or less.

# 11. (original) The drug as set forth in Claim 6, wherein:

after subjected to water-washing and subsequently to acid hydrolysis, the metabolic product has glucose contents (weight %) ranging from 1.0 to 3.0, ribose

contents (weight %) ranging from 0.3 to 0.9, rhamnose contents (weight %) ranging from 0.5 to 1.6, fucose contents (weight %) of 0.5 or less.

### 12. (original) The drug as set forth in Claim 7, wherein:

after subjected to water-washing and subsequently to acid hydrolysis, the metabolic product has glucose contents (weight %) ranging from 0.8 to 3.3, ribose contents (weight %) ranging from 0.2 to 1.0, rhamnose contents (weight %) ranging from 0.4 to 2.0, fucose contents (weight %) of 0.6 or less.

### 13. (original) The drug as set forth in Claim 7, wherein:

after subjected to water-washing and subsequently to acid hydrolysis, the metabolic product has glucose contents (weight %) ranging from 1.0 to 3.0, ribose contents (weight %) ranging from 0.3 to 0.9, rhamnose contents (weight %) ranging from 0.5 to 1.6, fucose contents (weight %) of 0.5 or less.

- 14. (original) The drug as set forth in Claim 1, wherein: the lactic acid bacterium is Lactobacillus spp.
- 15. (original) The drug as set forth in Claim 1, wherein: the lactic acid bacterium is Lactobacillus bulgalicus.

# 16. (original) A method of manufacturing a drug, comprising the steps of:

incubating a photosynthetic bacterium together with a lactic acid bacterium so as to cause the photosynthetic bacterium to produce a viscous material in a liquid medium, the photosynthetic bacterium being Rhodopseudomonas capsulatas FERMBP-7434 strain; and

separating a metabolic product from the liquid medium.